

BENTOFFLASH

Granulated bentonite

CHARACTERISTICS

- BENTOFFLASH is a special granulated bentonite which is characterized by:
- Avoiding dust production during its use
- High dispersability, which accentuates the colloidal characteristics of the montmorillonite, therefore improving the absorption capacity, the clarification effect and reducing the rehydration time with respect to traditional bentonites.
- Low dosage, due to its high deproteinization capacity
- Fast and compact sedimentation
- High purity, which avoids problems of transferring undesirable compounds and odors to the must/wine.

APPLICATIONS

- The characteristics of BENTOFFLASH make it an ideal bentonite for the protein stability of musts, juices, wines and vinegars, in which it can be used:
- To block the natural and exogenous enzyme activities (oxidase, pectinase, β -glycosidase, β -glucanase)
- For applications where the available rehydration time is short and when the use of bentonite with a high dispersability and high deproteinization capacity is required
- For its preventative actions against "lightstruck"
- For its minimal adsorption of color and aromas.

DOSAGE AND INSTRUCTIONS FOR USE

Dosage: 20-80 g/hL

BENTOFFLASH swells quickly in water already in a ratio of 1:10; however its performance improves with 1:20 dilution. In order to accelerate and optimize its rehydration, it is advisable to wait for 30 minutes before use of mechanical stirrer.

PACKING

25 kg Bags

This product is not considered dangerous therefore a material safety data sheet is not necessary.

EVER S.r.l.

Via Pacinotti, 37 – 30020 Pramaggiore (VE)
T: +39 0421 200 455 | F: +39 0421200460
info@ever.it | www.ever.it



Company with quality management system certified ISO 9001-2008 certificate N. IT06 / 0451.

Research, development, production and marketing of adjuvants and additives for food and beverage industries. EA Sector: 03.

BENTOFFLASH

Granulated bentonite

CHEMICAL ANALYSIS (%)

SiO₂: 56-57
Al₂O₃: 19-19,5
TiO₂: 0,77-0,80
Fe₂O₃: 4,7-4,8
P₂O₅: 0,24-0,26
MnO: 0,04-0,05
MgO: 4,20-4,25
CaO: 2,82-2,84
K₂O: 0,70-0,72
Na₂O: 3,33-3,35

COMPOSITION E 558

Sodium activated bentonite
Montmorillonite: ≥90%
Color: white-grey
Deproteinization power
(CODEX method): ≥75%
Moisture: 9,5-11,5%

SOLUBLE METALS (DM26/04/02)

Fe: ≤0,2%
Na: ≤1,5%
Ca: ≤2,5%
Arsenic: ≤1,5 ppm
Pb: ≤6 ppm
Other heavy metals: ≤10 ppm

EVER S.r.l.

Via Pacinotti, 37 – 30020 Pramaggiore (VE)
T: +39 0421 200 455 | F: +39 0421200460
info@ever.it | www.ever.it



Company with quality management system certified ISO 9001-2008
certificate N. IT06 / 0451.

Research, development, production and marketing of adjuvants and
additives for food and beverage industries. EA Sector: 03.